



Boolean algebras by length recognizability

Didier Caucal, Chloé Rispal

► **To cite this version:**

| Didier Caucal, Chloé Rispal. Boolean algebras by length recognizability. 2019. hal-02012291

HAL Id: hal-02012291

<https://hal-upec-upem.archives-ouvertes.fr/hal-02012291>

Submitted on 8 Feb 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Boolean algebras by length recognizability

Didier Caucal and Chloé Rispal¹

¹ CNRS, LIGM, University Paris-East, France

caucal@u-pem.fr and rispall@u-pem.fr

Abstract

We present a simple approach to define Boolean algebras on languages. We proceed by inverse deterministic and length-preserving morphisms on automata whose vertices are words. We give applications for context-free languages and context-sensitive languages.

1 Introduction

The family of regular languages is closed under many operations. Those closure properties give an easy way to work with this family and specially the closure under Boolean operations. Some of these Boolean closure properties are not satisfied at the next level of the Chomsky hierarchy: the family of context-free languages is not closed under complementation and intersection, and the subfamily of deterministic context-free languages is not closed under union and intersection. A standard way to get Boolean algebras is by recognizability by inverse morphism. This notion has been extended to many finite structures (see [9] among others) and also to infinite automata [4].

An automaton is a set of labeled edges with some initial and final vertices. A morphism f from an automaton G into an automaton H is a mapping from the vertices of G to the vertices of H such that for any edge $s \xrightarrow{a} t$ of G , $f(s) \xrightarrow{a} f(t)$ is an edge of H and for s initial/final in G , $f(s)$ is initial/final in H . The recognizability by an automaton H according to an automata family \mathcal{F} is defined as the set of languages accepted by the automata of \mathcal{F} that can be mapped by morphism into H .

A good way to obtain Boolean algebras of context-free languages is by structural recognizability [4]. Considering a family of automata such that each labeled transition \xrightarrow{a} is a binary relation on a set \mathcal{R} , the morphism has to be a relation of \mathcal{R} . This structural notion, together with a natural notion of determinism on morphisms defines Boolean subalgebras of many language families. Nevertheless, those Boolean algebras can be too restrictive. For instance, the set of visibly pushdown languages [1] can not be obtained by structural recognizability.

In this paper, we consider the length recognizability for automata whose vertices are words: the morphisms are still deterministic but we replace the structural condition by the length-preserving property. We define natural conditions on automata families such that this length recognizability defines Boolean subalgebras. The closure under intersection is given by the length synchronization, a natural and usual parallelization operation on word automata. To get the closure under difference, we introduce a new operation: the length superposition. When an automata family is closed under these two operations and under simple conditions, we get a Boolean algebra of languages accepted by automata which are deterministically length recognized by an unambiguous automaton (see Theorems 16 and 17). We give applications for sub-families of context-free languages and of context-sensitive languages. In particular, the family of visibly pushdown languages can be defined by length recognizability.

2 Word automata

We consider finite and infinite automata having words as vertices. In this section, we give basic notations and definitions, and recall the notions of determinism and unambiguity.

Let N, T be countable sets of symbols called respectively *non-terminals* and *terminals*.

We take a set $C = \{\iota, o\}$ of two *colors*.

A word *automaton* G is a subset of $N^* \times T \times N^* \cup C \times N^*$ of *vertex* set

$$V_G = \{ u \mid \exists a, v (u, a, v) \in G \vee (v, a, u) \in G \} \cup \{ u \mid \exists c \in C (c, u) \in G \}$$

such that the following sets are finite:


$$\begin{aligned} N_G &= \{ x \in N \mid \exists u, v \in N^* uxv \in V_G \} && \text{the set of non-terminals of } G, \\ T_G &= \{ a \in T \mid \exists u, v (u, a, v) \in G \} && \text{the set of terminals or labels of } G. \end{aligned}$$

We denote by $I_G = \{ s \mid (\iota, s) \in G \}$ the set of *initial vertices* and by $F_G = \{ s \mid (o, s) \in G \}$ the set of *final vertices* of G . Any triple $(s, a, t) \in G$ is an *edge* labeled by a from *source* s to *goal* t ; it is also denoted by $s \xrightarrow{a}_G t$ i.e. $\xrightarrow{a}_G = \{ (s, t) \mid s \xrightarrow{a}_G t \}$ is the a -*transition* of G . Any couple $(c, s) \in G$ is a vertex s *colored* by $c \in C$; it is denoted by $cs \in G$ and $\xrightarrow{c}_G = \{ (s, s) \mid cs \in G \}$ is the c -*transition* of G .

Taking symbols ι, κ , and a triple (T_{-1}, T_0, T_1) of disjoint finite subsets of T , we define the *input-driven automaton*:

$$\begin{aligned} \text{Inp}(T_{-1}, T_0, T_1) &= \{ \iota^n \kappa \xrightarrow{a} \iota^{n+i} \kappa \mid i \in \{-1, 0, 1\} \wedge a \in T_i \wedge n, n+i \geq 0 \} \\ &\cup \{ \iota \kappa \} \cup \{ o \iota^n \kappa \mid n \geq 0 \}. \end{aligned}$$

The automaton $\text{Inp}(\{b\}, \{c\}, \{a\})$ is represented below.



Let $\xrightarrow{\quad}_G$ be the unlabeled edge relation i.e. $s \xrightarrow{\quad}_G t$ if $s \xrightarrow{a}_G t$ for some $a \in T$. The *accessibility* relation $\xrightarrow{*}_G$ is the reflexive and transitive closure under composition of $\xrightarrow{\quad}_G$. A graph G is *accessible* (resp. *co-accessible*) from $P \subseteq V_G$ if for any $s \in V_G$, there is $r \in P$ such that $r \xrightarrow{*}_G s$ (resp. $s \xrightarrow{*}_G r$). An automaton G is *trimmed* if it is accessible from I_G and co-accessible from F_G . The previous automaton is trimmed. The *restriction* $G|_P$ of an automaton G to a vertex subset P is the automaton induced by P :

$$G|_P = \{ (u, a, v) \in G \mid u, v \in P \} \cup \{ (c, u) \in G \mid u \in P \}.$$

The *trimmed automaton* of G is

$$G_{\iota, o} = G|_{\{s \mid \exists i \in I_G \exists f \in F_G (i \xrightarrow{*}_G s \xrightarrow{*}_G f)\}}$$

the restriction of G to the vertices accessible from I_G and co-accessible from F_G . Thus $G_{\iota, o}$ is trimmed and $L(G_{\iota, o}) = L(G)$. Similarly, the *accessible automaton* of G is

$$G_{\iota} = G|_{\{s \mid \exists i \in I_G (i \xrightarrow{*}_G s)\}}.$$

Recall that a *path* is a sequence $s_0 \xrightarrow{a_1} s_1 \dots s_{n-1} \xrightarrow{a_n} s_n$ of consecutive transitions; this path leads from the *source* s_0 to the *goal* s_n and is labeled by $u = a_1 \dots a_n \in T^*$ and we write $s_0 \xrightarrow{u}_G s_n$. We also write $\iota \xrightarrow{u}_G s, s \xrightarrow{v}_G o, \iota \xrightarrow{u}_G o$ if there exists $i \in I_G$ and $f \in F_G$ such that we have respectively $i \xrightarrow{u}_G s, s \xrightarrow{v}_G f, i \xrightarrow{u}_G f$. A path is *accepting* if its source is initial and its goal is final. The *language accepted* by an automaton G is the set $L(G) = \{ u \in T^* \mid \iota \xrightarrow{u}_G o \}$ of labels of its accepting paths. For instance, the previous automaton $\text{Inp}(\{b\}, \{c\}, \{a\})$ accepts the language

$$L(\text{Inp}(\{b\}, \{c\}, \{a\})) = \{ u \in \{a, b, c\}^* \mid \forall v \leq u, |v|_a \geq |v|_b \}$$


of prefixes of well-parenthesed words (a the open parenthesis and b the close one).

An automaton G is *deterministic* if it has at most one initial vertex: $\iota s, \iota t \in G \implies s = t$, and if for any vertex r and any label $a \in T$, there exists at most one transition starting from r and labeled by a : $(r \xrightarrow{a}_G s \wedge r \xrightarrow{a}_G t) \implies s = t$. More generally, an automaton G is *unambiguous*, if any two accepting paths have distinct labels:

$$s_0 \xrightarrow{a_1} s_1 \dots s_{n-1} \xrightarrow{a_n} s_n \wedge t_0 \xrightarrow{a_1} t_1 \dots t_{n-1} \xrightarrow{a_n} t_n \wedge \iota s_0, \iota t_0, o s_n, o t_n \in G$$

$$\implies s_0 = t_0 \wedge \dots \wedge s_n = t_n.$$

The previous automaton $\text{Inp}(T_{-1}, T_0, T_1)$ is deterministic. Any deterministic automaton is unambiguous. Here is an unambiguous automaton Un which is not deterministic.



3 Recognizability

In order to get Boolean subalgebras of many language families, the recognizability by inverse morphism [5] has been extended to infinite automata [4]. We recall this notion as well as the definition of a deterministic morphism.

A *morphism* f from an automaton G into an automaton H is a mapping $f: V_G \rightarrow V_H$ such that for any $s, t \in V_G$, $a \in T_G$ and $c \in C$,

$$s \xrightarrow{a}_G t \implies f(s) \xrightarrow{a}_H f(t) \quad \text{and} \quad cs \in G \implies cf(s) \in H$$

we write $G \xrightarrow{f} H$ or $G \rightarrow H$ and we say that G is *reducible* into H .

Any word accepted by an automaton is by morphism accepted by the image automaton.

► **Lemma 1.** *Let $G \rightarrow H$. We have*

$$L(G) \subseteq L(H) \quad \text{and} \quad G' \rightarrow H' \quad \text{for any } G' \subseteq G \text{ and } H \subseteq H'.$$

Let us give uniqueness conditions of a morphism between automata.

► **Lemma 2.** *There is at most one morphism from a trimmed automaton into an unambiguous automaton.*

Proof.

Let $G \xrightarrow{g} H$ and $G \xrightarrow{h} H$ with G trimmed and H unambiguous.

Let s be any vertex of G .

As G is trimmed, there exists $u, v \in T^*$ such that $\iota \xrightarrow{u}_G s \xrightarrow{v}_G o$. As g and h are morphisms, we have

$$\iota \xrightarrow{u}_H g(s) \xrightarrow{v}_H o \quad \text{and} \quad \iota \xrightarrow{u}_H h(s) \xrightarrow{v}_H o.$$

As H is unambiguous, $g(s) = h(s)$. ◀

For families \mathcal{F} of automata, we want to get Boolean subalgebras of

$$\mathcal{L}(\mathcal{F}) = \{ L(G) \mid G \in \mathcal{F} \}.$$

Recall that a language family \mathcal{L} is a *Boolean algebra relative to* a language $L \in \mathcal{L}$ if

$$P \subseteq L \quad \text{and} \quad L - P, P \cap Q \in \mathcal{L} \quad \text{for any } P, Q \in \mathcal{L}.$$

A first approach is to take an automata family \mathcal{F} and a *recognizer* $H \in \mathcal{F}$ to define the set of languages accepted by all possible automata of \mathcal{F} which are reducible to H :

$$\text{Rec}_{\mathcal{F}}(H) = \{ L(G) \mid G \in \mathcal{F} \wedge G \rightarrow H \}.$$

XX:4 Boolean algebras

For any finite subset $A \subset T$, we define the trimmed and deterministic automaton Loop_A with a unique vertex κ and the loops labeled by each letter of A :

$$\text{Loop}_A = \{ \kappa \xrightarrow{a} \kappa \mid a \in A \} \cup \{ \iota \kappa, o \kappa \}.$$

For any family \mathcal{F} of automata labeled in A , each automaton is reducible to Loop_A hence

$$\text{Rec}_{\mathcal{F}}(\text{Loop}_A) = \mathcal{L}(\mathcal{F}).$$

Thus for the family \mathcal{F}_{in} of finite automata, $\text{Rec}_{\mathcal{F}_{in}}(\text{Loop}_A)$ is the set $\text{Reg}(A^*)$ of regular languages over A which is a Boolean algebra. This can be extended replacing Loop_A by any finite automaton.

► **Proposition 3.** *For any finite automaton H , $\text{Rec}_{\mathcal{F}_{in}}(H) = \{ L \subseteq L(H) \mid L \text{ regular} \}$ is a Boolean algebra relative to $L(H)$.*

However $\mathcal{L}(\mathcal{F})$ is not in general a Boolean algebra. To get Boolean algebras by recognizability, we introduce simple conditions on the morphisms.

In order to preserve by inverse the determinism, we say that a morphism $G \xrightarrow{f} H$ is a *deterministic morphism* and we write $G \xrightarrow{f}_d H$ if

$$\begin{aligned} \iota s, \iota t \in G \wedge f(s) = f(t) &\implies s = t \\ r \xrightarrow{a}_G s \wedge r \xrightarrow{a}_G t \wedge f(s) = f(t) &\implies s = t. \end{aligned}$$

Note that any morphism from a deterministic automaton is a deterministic morphism:

$$G \xrightarrow{f} H \wedge G \text{ deterministic} \implies G \xrightarrow{f}_d H. \quad (1)$$

Any deterministic morphism preserves by inverse determinism and unambiguity.

► **Lemma 4.** *Let $G \xrightarrow{f}_d H$ with H unambiguous (resp. deterministic).*

Then G is unambiguous (resp. deterministic) and

$$(\iota \xrightarrow{u}_G s \wedge u \in L(G) \wedge o f(s) \in H) \implies o s \in G.$$

Proof.

Let $G \xrightarrow{f}_d H$ with H unambiguous.

i) Let us check that G is unambiguous.

Let $s_0 \xrightarrow{a_1}_G s_1 \dots s_{n-1} \xrightarrow{a_n}_G s_n$ and $t_0 \xrightarrow{a_1}_G t_1 \dots t_{n-1} \xrightarrow{a_n}_G t_n$ with $\iota s_0, \iota t_0, o s_n, o t_n \in G$.

As f is a morphism, $f(s_0) \xrightarrow{a_1}_H f(s_1) \dots f(s_{n-1}) \xrightarrow{a_n}_H f(s_n)$ with $\iota f(s_0), o f(s_n) \in H$.

And $f(t_0) \xrightarrow{a_1}_H f(t_1) \dots f(t_{n-1}) \xrightarrow{a_n}_H f(t_n)$ with $\iota f(t_0), o f(t_n) \in H$.

As H is unambiguous, we have $f(s_0) = f(t_0), \dots, f(s_n) = f(t_n)$.

As f is a deterministic morphism, we get $s_i = t_i$ by induction on $0 \leq i \leq n$.

ii) Assume that H is deterministic. Let us check that G is deterministic.

Case 1: let $\iota s, \iota t \in G$.

As f is a morphism, $\iota f(s), \iota f(t) \in H$. As H is deterministic, $f(s) = f(t)$.

As f is a deterministic morphism, $s = t$.

Case 2: let $r \xrightarrow{a}_G s$ and $r \xrightarrow{a}_G t$.

As f is a morphism, $f(r) \xrightarrow{a}_G f(s)$ and $f(r) \xrightarrow{a}_G f(t)$.

As H is deterministic, $f(s) = f(t)$. As f is a deterministic morphism, $s = t$.

iii) Let $s_0 \xrightarrow{a_1}_G s_1 \dots s_n$ with $\iota s_0 \in G, o f(s_n) \in H$ and $a_1 \dots a_n \in L(G)$.

Let us check that $o s_n \in G$.

As $a_1 \dots a_n \in L(G)$, there exists $t_0 \xrightarrow{a_1}_G t_1 \dots t_n$ with $\iota t_0, o t_n \in G$.

Thus $f(s_0) \xrightarrow{a_1}_H f(s_1) \dots f(s_n)$ and $f(t_0) \xrightarrow{a_1}_H f(t_1) \dots f(t_n)$

with $\iota f(s_0), \iota f(t_0), o f(s_n), o f(t_n) \in H$.

As H is unambiguous, we have $f(s_i) = f(t_i)$ for every $0 \leq i \leq n$.

As f is deterministic, we get $s_i = t_i$ for every $0 \leq i \leq n$. Thus $os_n = ot_n \in G$. ◀

When restricting to deterministic morphisms in $\text{Rec}_{\mathcal{F}}(H)$, we get the subfamily

$$\text{dRec}_{\mathcal{F}}(H) = \{ L(G) \mid G \in \mathcal{F} \wedge G \rightarrow_d H \}.$$

Let $\mathcal{F}_{\text{det}} = \{ G \in \mathcal{F} \mid G \text{ deterministic} \}$ and $\mathcal{F}_{\text{una}} = \{ G \in \mathcal{F} \mid G \text{ unambiguous} \}$.

By (1) and Lemma 4, we have

$$\begin{aligned} \text{dRec}_{\mathcal{F}}(H) &= \text{Rec}_{\mathcal{F}_{\text{det}}}(H) \quad \text{for any } H \in \mathcal{F}_{\text{det}} \\ \text{dRec}_{\mathcal{F}}(H) &\subseteq \text{Rec}_{\mathcal{F}_{\text{una}}}(H) \quad \text{for any } H \in \mathcal{F}_{\text{una}}. \end{aligned}$$

Thus $\text{dRec}_{\mathcal{F}}(\text{Loop}_A) = \mathcal{L}(\mathcal{F}_{\text{det}})$ is not in general a Boolean algebra. We now specialize the previous notions by vertex length restriction.

4 Recognizability by length

To get Boolean algebras, the recognizability for infinite automata has been used with a structural condition [4]. In the following, we replace it by a length-preserving condition. When the morphisms are deterministic and under simple conditions on the automata family, this gives less restrictive Boolean subalgebras.

A word automaton G is *length-deterministic* if it satisfies the following two conditions:

$$\begin{aligned} \iota s, \iota t \in G \wedge |s| = |t| &\implies s = t \\ r \xrightarrow{a}_G s \wedge r \xrightarrow{a}_G t \wedge |s| = |t| &\implies s = t. \end{aligned}$$


For instance, the structure $(\mathbb{N}, 0, <)$ is described by the length-deterministic automaton:



More generally any automaton without two vertices of the same length is length-deterministic. Similarly a word automaton is *length-unambiguous* if it satisfies the following condition:

$$\begin{aligned} (s_0 \xrightarrow{a_1} s_1 \dots s_{n-1} \xrightarrow{a_n} s_n \wedge t_0 \xrightarrow{a_1} t_1 \dots t_{n-1} \xrightarrow{a_n} t_n \wedge \iota s_0, \iota t_0, os_n, ot_n \in G \\ \wedge |s_0| = |t_0| \wedge \dots \wedge |s_n| = |t_n|) \implies s_0 = t_0 \wedge \dots \wedge s_n = t_n. \end{aligned}$$

We have the following implications:



Finally a *length-morphism* $G \xrightarrow{f} H$ is a morphism which is length-preserving: $|f(u)| = |u|$ for any $u \in V_G$; we write $G \xrightarrow{f}_\ell H$ and we say that G is *length-reducible* to H .

Let us restrict Lemma 2 to length-morphisms.

► **Lemma 5.** *There is at most one length-morphism from a trimmed automaton into a length-unambiguous automaton.*

Any deterministic length-morphism preserves by inverse the length-determinism and the length-nonambiguity.

► **Lemma 6.** *Let $G \rightarrow_{\ell d} H$ with H length-unambiguous (resp. length-deterministic). Then G is length-unambiguous (resp. length-deterministic).*

Let us particularize the subfamilies $\text{Rec}_{\mathcal{F}}(H)$ and $\text{dRec}_{\mathcal{F}}(H)$ by restriction to length-morphisms: for any automata family \mathcal{F} and any $H \in \mathcal{F}$, we define

$$\begin{aligned} \ell\text{Rec}_{\mathcal{F}}(H) &= \{ L(G) \mid G \in \mathcal{F} \wedge G \xrightarrow{\ell} H \} \\ \ell\text{dRec}_{\mathcal{F}}(H) &= \{ L(G) \mid G \in \mathcal{F} \wedge G \xrightarrow{\ell\text{d}} H \}. \end{aligned}$$

We have the following inclusions:

$$\begin{array}{ccc} & \text{dRec}_{\mathcal{F}}(H) & \\ \subseteq & & \subseteq \\ \ell\text{dRec}_{\mathcal{F}}(H) & & \text{Rec}_{\mathcal{F}}(H) \\ \subseteq & \ell\text{Rec}_{\mathcal{F}}(H) & \subseteq \end{array}$$

As $\emptyset \xrightarrow{\ell\text{d}} H$ and $H \xrightarrow{\ell\text{d}} H$, we have $\emptyset, L(H) \in \ell\text{dRec}_{\mathcal{F}}(H)$.

We prove that $\ell\text{dRec}_{\mathcal{F}}(H)$ is a Boolean algebra relative to $L(H)$ for H unambiguous and \mathcal{F} closed under two simple operations that we introduce now, namely the synchronization by length for the closure under intersection and the superposition by length for the closure under difference.

5 Synchronization by length

We define a binary parallelization operation \parallel on word automata according to the vertex length. We show that $\ell\text{Rec}_{\mathcal{F}}(H)$ is closed under intersection when H is unambiguous and \mathcal{F} is closed under \parallel (cf. Proposition 9). To get the closure of $\ell\text{dRec}_{\mathcal{F}}(H)$ under intersection, \mathcal{F} has to be closed under restriction by accessibility from the initial vertices and co-accessibility from the final vertices (cf. Proposition 11).

Let $\Delta_N = \{ (u, v) \in N^* \mid |u| = |v| \}$ be the set of couples of words over N of same length. The *length synchronization* is the bijection $\parallel : \Delta_N \rightarrow (N \times N)^*$ defined by

$$a_1 \dots a_n \parallel b_1 \dots b_n = (a_1, b_1) \dots (a_n, b_n) \text{ for any } n \geq 0 \text{ and } a_1, b_1, \dots, a_n, b_n \in N.$$

We also consider the *first projection* π_1 and the *second projection* π_2 as the surjective mappings $(N \times N)^* \rightarrow N^*$ defined for any $u, v \in N^*$ by $\pi_1(u, v) = u$ and $\pi_2(u, v) = v$.

Given word automata G and G' with an injection $\phi : N_G \times N_{G'} \rightarrow N$, we define their *length synchronization* $G \parallel_{\phi} G'$ as the following word automaton:

$$\begin{aligned} G \parallel_{\phi} G' &= \{ \phi(u \parallel u') \xrightarrow{a} \phi(v \parallel v') \mid u \xrightarrow{a}_G v \wedge u' \xrightarrow{a}_{G'} v' \} \\ &\cup \{ c \phi(u \parallel u') \mid cu \in G \wedge cu' \in G' \}. \end{aligned}$$


Since the coding ϕ is not essential, it will usually be omitted. Note that

$$\begin{aligned} G, G' \text{ deterministic} &\implies G \parallel G' \text{ deterministic} \\ V_G, V_{G'} \text{ regular} &\implies V_G \parallel V_{G'} \text{ regular.} \end{aligned}$$

As an example, consider the following respective two graphs G and G' :



Their length synchronization $G \parallel G'$ is the following graph:



The length synchronization gives the closure under intersection.

► **Lemma 7.** For any automata G, G', H , we have the following properties:

- a) $G \parallel G' \xrightarrow{\pi_1}_\ell G$ and $G \parallel G' \xrightarrow{\pi_2}_\ell G'$,
- b) $L(G \parallel G') \subseteq L(G) \cap L(G')$,
- c) if $G \xrightarrow{\ell} H$ and $G' \xrightarrow{\ell} H$ and H unambiguous then $L(G \parallel G') = L(G) \cap L(G')$.

Proof.

i) Let us check that $G \parallel G' \xrightarrow{\pi_1}_\ell G$.

Let $u \parallel u' \xrightarrow{a}_{G \parallel G'} v \parallel v'$. Thus $\pi_1(u \parallel u') = u \xrightarrow{a}_G v = \pi_1(v \parallel v')$.

Let $c(u \parallel u') \in G \parallel G'$. Thus $c\pi_1(u \parallel u') = cu \in G$.

Finally $|u \parallel u'| = |u|$. Similarly we check that $G \parallel G' \xrightarrow{\pi_2}_\ell G'$.

ii) Let us check that $L(G \parallel G') \subseteq L(G) \cap L(G')$.

Let $a_1 \dots a_n \in L(G \parallel G')$ for some $n \geq 0$ and $a_1, \dots, a_n \in T$.

There exists s_0, \dots, s_n such that $s_0 \xrightarrow{a_1}_{G \parallel G'} s_1 \dots s_{n-1} \xrightarrow{a_n}_{G \parallel G'} s_n$ with $\iota s_0, o s_n \in G \parallel G'$.

There exists $u_0, u'_0, \dots, u_n, u'_n \in N^*$ such that $s_i = u_i \parallel u'_i$ for every $0 \leq i \leq n$.

Thus $u_0 \xrightarrow{a_1}_G u_1 \dots u_{n-1} \xrightarrow{a_n}_G u_n$ and $u'_0 \xrightarrow{a_1}_{G'} u'_1 \dots u'_{n-1} \xrightarrow{a_n}_{G'} u'_n$ with $\iota u_0, o u_n \in G$ and $\iota u'_0, o u'_n \in G'$. Hence $a_1 \dots a_n \in L(G) \cap L(G')$.

iii) Let $G \xrightarrow{f}_\ell H$ and $G' \xrightarrow{f'}_\ell H$ with H unambiguous.

Let $a_1 \dots a_n \in L(G) \cap L(G')$ for some $n \geq 0$ and $a_1, \dots, a_n \in T$.

There exists $u_0 \dots, u_n \in N^*$ such that $u_0 \xrightarrow{a_1}_G u_1, \dots, u_{n-1} \xrightarrow{a_n}_G u_n$ with $\iota u_0, o u_n \in G$.

There exists $u'_0 \dots, u'_n \in N^*$ such that $u'_0 \xrightarrow{a_1}_{G'} u'_1, \dots, u'_{n-1} \xrightarrow{a_n}_{G'} u'_n$ with $\iota u'_0, o u'_n \in G'$.

Thus $f(u_0) \xrightarrow{a_1}_H f(u_1), \dots, f(u_{n-1}) \xrightarrow{a_n}_H f(u_n)$ with $\iota f(u_0), o f(u_n) \in H$.

Furthermore $f'(u'_0) \xrightarrow{a_1}_H f'(u'_1), \dots, f'(u'_{n-1}) \xrightarrow{a_n}_H f'(u'_n)$ with $\iota f'(u'_0), o f'(u'_n) \in H$.

As H is unambiguous, $f(u_0) = f'(u'_0), \dots, f(u_n) = f'(u'_n)$.

As f, f' are length-preserving, $|u_0| = |u'_0|, \dots, |u_n| = |u'_n|$.

So $u_0 \parallel u'_0 \xrightarrow{a_1}_{G \parallel G'} u_1 \parallel u'_1 \dots u_{n-1} \parallel u'_{n-1} \xrightarrow{a_n}_{G \parallel G'} u_n \parallel u'_n$ with $\iota u_0 \parallel u'_0, o u_n \parallel u'_n \in G \parallel G'$.

Finally $a_1 \dots a_n \in L(G \parallel G')$. ◀

Let us give basic properties on the vertices of length synchronized automata.

► **Lemma 8.** Let $G \xrightarrow{f}_\ell H$ and $G' \xrightarrow{f'}_\ell H$. We have

- a) $(u \parallel u' \text{ vertex of } (G \parallel G')_\iota \text{ and } H \text{ length-deterministic}) \implies f(u) = f'(u')$
- b) $(u \parallel u' \text{ vertex of } (G \parallel G')_{\iota, o} \text{ and } H \text{ length-unambiguous}) \implies f(u) = f'(u')$.

Proof.

i) Let $u \parallel u'$ be a vertex of $(G \parallel G')_\iota$ with H length-deterministic.

Let us show that $f(u) = f'(u')$.

There exists $(u_0 \parallel u'_0) \xrightarrow{a_1}_{G \parallel G'} (u_1 \parallel u'_1) \dots \xrightarrow{a_n}_{G \parallel G'} (u_n \parallel u'_n)$ such that $\iota(u_0 \parallel u'_0) \in G \parallel G'$ and $(u, u') = (u_n, u'_n)$.

So $u_0 \xrightarrow{a_1}_G u_1 \dots \xrightarrow{a_n}_G u_n$ and $u'_0 \xrightarrow{a_1}_{G'} u'_1 \dots \xrightarrow{a_n}_{G'} u'_n$ such that $\iota u_0 \in G$ and $\iota u'_0 \in G'$ with $|u_0| = |u'_0|, \dots, |u_n| = |u'_n|$.

Thus $f(u_0) \xrightarrow{a_1}_H f(u_1) \dots \xrightarrow{a_n}_H f(u_n)$ and $\iota f(u_0) \in H$.

Furthermore $f'(u'_0) \xrightarrow{a_1}_H f'(u'_1) \dots \xrightarrow{a_n}_H f'(u'_n)$ and $\iota f'(u'_0) \in H$.

For any $0 \leq i \leq n$, we have $|f(u_i)| = |u_i| = |u'_i| = |f'(u'_i)|$.

As H is length-deterministic and by induction on $0 \leq i \leq n$, we get that $f(u_i) = f'(u'_i)$.

In particular $f(u) = f(u_n) = f'(u'_n) = f'(u')$.

ii) Let $u \parallel u'$ be a vertex of $(G \parallel G')_{\iota, o}$ with H length-unambiguous.

Let us show that $f(u) = f'(u')$.

There exists $(u_0 \parallel u'_0) \xrightarrow{a_1}_{G \parallel G'} (u_1 \parallel u'_1) \dots \xrightarrow{a_n}_{G \parallel G'} (u_n \parallel u'_n)$ and $0 \leq p \leq n$ such that

$\iota(u_0 \parallel u'_0), o(u_n \parallel u'_n) \in G \parallel G'$ and $u \parallel u' = u_p \parallel u'_p$.

So $u_0 \xrightarrow{a_1}_G u_1 \dots \xrightarrow{a_n}_G u_n$ and $u'_0 \xrightarrow{a_1}_{G'} u'_1 \dots \xrightarrow{a_n}_{G'} u'_n$ such that $\iota u_0, o u_n \in G$ and $\iota u'_0, o u'_n \in G'$ with $|u_0| = |u'_0|, \dots, |u_n| = |u'_n|$.

Thus $f(u_0) \xrightarrow{a_1}_H f(u_1) \dots \xrightarrow{a_n}_H f(u_n)$ and $\iota f(u_0), o f(u_n) \in H$.

Furthermore $f'(u'_0) \xrightarrow{a_1}_H f'(u'_1) \dots \xrightarrow{a_n}_H f'(u'_n)$ and $\iota f'(u'_0), o f'(u'_n) \in H$.

For any $0 \leq i \leq n$, we have $|f(u_i)| = |u_i| = |u'_i| = |f'(u'_i)|$.

As H is length-unambiguous, we get $f(u_0) = f'(u'_0), \dots, f(u_n) = f'(u'_n)$.

In particular $f(u) = f(u_p) = f'(u'_p) = f(u')$. ◀

Let us apply Lemma 7 (c) to the intersection closure by length recognizability.

► **Proposition 9.** *The language family $\ell\text{Rec}_{\mathcal{F}}(H)$ is closed under intersection when H is unambiguous and \mathcal{F} is closed under \parallel .*

This proposition is not suitable for the family $\ell d\text{Rec}_{\mathcal{F}}(H)$ because Lemma 7 (a) cannot be extended to deterministic reductions: $G = \{\varepsilon \xrightarrow{a} 0, \varepsilon \xrightarrow{a} 1, 1 \xrightarrow{a} 10, \iota\varepsilon, o0, o10\}$ is a trimmed and unambiguous automaton but $G \parallel G \not\xrightarrow{d} G$ since

$$G \parallel G = \{ \varepsilon \xrightarrow{a} (0,0), \varepsilon \xrightarrow{a} (0,1), \varepsilon \xrightarrow{a} (1,0), \varepsilon \xrightarrow{a} (1,1), \\ (1,1) \xrightarrow{a} (1,1)(0,0), \iota\varepsilon, o(0,0), o(1,1)(0,0) \}.$$

Nevertheless $(G \parallel G)_{\iota,o} \xrightarrow{\ell d} G$. This property can be generalized.

► **Lemma 10.** *We have $G \xrightarrow{\ell} H \vee G' \xrightarrow{\ell} H \implies G \parallel G' \xrightarrow{\ell} H$
 $G \xrightarrow{\ell d} H \wedge G' \xrightarrow{\ell d} H \wedge H \text{ length-unambiguous} \implies (G \parallel G')_{\iota,o} \xrightarrow{\ell d} H$.*

Proof.

If $G \xrightarrow{f}_{\ell} H$ then by Lemma 7 (a), $G \parallel G' \xrightarrow{\pi_1}_{\ell} G \xrightarrow{f}_{\ell} H$.

If $G' \xrightarrow{f'}_{\ell} H$ then by Lemma 7 (a), $G \parallel G' \xrightarrow{\pi_2}_{\ell} G' \xrightarrow{f'}_{\ell} H$.

Suppose that $G \xrightarrow{f}_{\ell d} H$ and $G' \xrightarrow{f'}_{\ell d} H$ with H length-unambiguous.

Let $K = (G \parallel G')_{\iota,o}$. Let us prove that $K \xrightarrow{\ell d} H$. We define

$$\Delta_{f,f'} = \{ u \parallel u' \mid f(u) = f'(u') \}$$

and the mapping

$$f \times f' : \Delta_{f,f'} \longrightarrow N^* \quad \text{by} \quad (f \times f')(u \parallel u') = f(u) \text{ for any } u \parallel u' \in \Delta_{f,f'}.$$

By Lemma 8 (b), we get $K \xrightarrow{f \times f'}_{\ell} H$. Let us check that $K \xrightarrow{f \times f'}_{d} H$.

Case 1: Let $\iota(u \parallel u'), \iota(v \parallel v') \in K$ with $(f \times f')(u \parallel u') = (f \times f')(v \parallel v')$.

Thus $\iota u, \iota v \in G$ and $f(u) = f(v)$. As $G \xrightarrow{f}_{d} H$, we get $u = v$.

Furthermore $\iota u', \iota v' \in H$ and $f'(u') = f(u) = f(v) = f'(v')$.

As $G' \xrightarrow{f'}_{d} H$, we get $u' = v'$. So $u \parallel u' = v \parallel v'$.

Case 2: Let $(u \parallel u') \xrightarrow{a}_K (v \parallel v')$ and $(u \parallel u') \xrightarrow{a}_K (w \parallel w')$ such that

$$(f \times f')(v \parallel v') = (f \times f')(w \parallel w').$$

So $u \xrightarrow{a}_G v$ and $u \xrightarrow{a}_G w$ with $f(v) = f(w)$. As $G \xrightarrow{f}_{d} H$, we get $v = w$.

Furthermore $u' \xrightarrow{a}_{G'} v'$ and $u' \xrightarrow{a}_{G'} w'$ with $f'(v') = f(v) = f(w) = f'(w')$.

As $G' \xrightarrow{f'}_{d} H$, we get $v' = w'$. So $v \parallel v' = w \parallel w'$. ◀

We say that an automata family \mathcal{F} is closed under ιo -restriction if $G_{\iota,o} \in \mathcal{F}$ for any $G \in \mathcal{F}$. Let us apply Lemmas 7 and 10.

► **Proposition 11.** *The language family $\ell d\text{Rec}_{\mathcal{F}}(H)$ is closed under intersection when H is unambiguous and \mathcal{F} is closed under \parallel and ιo -restriction.*

Now we study the closure of $\text{ldRec}_{\mathcal{F}}(H)$ under the difference operation.

6 Superposition by length

We define a binary superposition operation $//$ on word automata according to vertex lengths. When \mathcal{F} is an automata family closed under $//$, we obtain simple conditions for $\text{ldRec}_{\mathcal{F}}(H)$ to be closed under difference (cf. Proposition 15). Then we obtain two general ways to get $\text{ldRec}_{\mathcal{F}}(H)$ as a Boolean algebra relative to $L(H)$ (Theorems 16 and 17).

We say that a word automaton G is ε -free if ε is not a vertex of G : $\varepsilon \notin V_G$.

For $L \subseteq N^*$, we write $u \leq L$ if u is prefix of a word of L : $\exists v (uv \in L)$. Given ε -free automata G and H with an injection $\phi: N_G \times N_H \rightarrow N$ and a non-terminal $\# \in N - N_G$, we define the *length superposition* $G /_{\phi, \#} H$ of G on H as the following word automaton:


$$\begin{aligned} & G /_{\phi, \#} H \\ = & \{ \phi(u\|x) \xrightarrow{a} \phi(v\|y) \mid u \xrightarrow{a}_G v \wedge x \xrightarrow{a}_H y \} \\ & \cup \{ \iota \phi(u\|x) \mid \iota u \in G \wedge \iota x \in H \} \cup \{ o \phi(u\|x) \mid u \in V_G \wedge o u \notin G \wedge o x \in H \} \\ & \cup \{ \phi(u\|x) \xrightarrow{a} \phi(v\#\|y) \mid x \xrightarrow{a}_H y \wedge u \in V_G \wedge \neg \exists w (u \xrightarrow{a}_G w \wedge |w| = |y|) \wedge v \leq u\#\#^* \} \\ & \cup \{ \phi(u\#\|^n\|x) \xrightarrow{a} \phi(v\#\|^n\|y) \mid x \xrightarrow{a}_H y \wedge n > 0 \wedge u \leq V_G \wedge v \leq u\#\#^* \} \\ & \cup \{ o \phi(u\#\|^n\|x) \mid n > 0 \wedge u \leq V_G \wedge o x \in H \} \cup \{ \iota \phi(\#\|^{|x|}\|x) \mid \iota x \in H \wedge \forall \iota u \in G, |u| \neq |x| \}. \end{aligned}$$

Since the coding ϕ is not essential, it will usually be omitted. Moreover, we will assume that $\#$ is always a new non-terminal.


The definition of G/H is done in order to follow in parallel and by length the paths of G and H . When a transition of H can not be length synchronized by G , a transition of G/H leads to a copy of H by marking the vertices by $\#$. Note that

$$G, H \text{ deterministic} \implies G/H \text{ deterministic.}$$


As an example, we have $G \xrightarrow{f} \text{ld} H$ for the following ε -free deterministic automaton G :




for the morphism $f(u\kappa) = |u|\kappa$ for any $u \in \{a, b\}^*$ and for the following automaton H :



We represent below $(G/H)_{\iota, o}$ where any vertex u stands for the word $u \|\ |^{|u|-1} \kappa$.



In order to avoid crossing edges, one can also represent this automaton by the following fractal picture:



The length superposition gives the closure under difference.

► **Lemma 12.** For any ε -free automata G, H , $(G/H) \xrightarrow{\pi_2} \ell H$ and $L(H) - L(G) \subseteq L(G/H)$.
 If $G \xrightarrow{\ell} H$ and $(G/H) \xrightarrow{\pi_2} \text{d} H$ with H unambiguous then $L(G/H) \subseteq L(H) - L(G)$.

Proof.

- i) Let us check that $(G/H) \xrightarrow{\pi_2} H$. Let $s \xrightarrow{a} G/H t$.
 So $s = u \parallel x$ and $t = v \parallel y$ with $x \xrightarrow{a} H y$. Thus $\pi_2(s) = x \xrightarrow{a} H y = \pi_2(t)$.
 Let $cs \in G/H$. So $s = u \parallel x$ with $cx \in H$. In particular $c\pi_2(s) = cx \in H$.
- ii) Let $a_1 \dots a_n \in L(H) - L(G)$ for some $n \geq 0$ and $a_1, \dots, a_n \in T$.
 Let us show that $a_1 \dots a_n \in L(G/H)$.
 There exists $x_0 \xrightarrow{a_1} H x_1 \dots \xrightarrow{a_n} H x_n$ with $\iota x_0, o x_n \in H$.
 Let $z_i = (\#^{|x_i|}, x_i)$ for any $0 \leq i \leq n$.
 By definition of G/H , $z_0 \xrightarrow{a_1} G/H z_1 \dots \xrightarrow{a_n} G/H z_n$ with $o z_n \in G/H$.

We distinguish the two complementary cases below.

Case 1: $\neg \exists u_0 (\iota u_0 \in G \wedge |u_0| = |x_0|)$. So $\iota z_0 \in G/H$ hence $a_1 \dots a_n \in L(G/H)$.

Case 2: $\exists u_0 (\iota u_0 \in G \wedge |u_0| = |x_0|)$. Let $0 \leq m \leq n$ maximal such that

$$u_0 \xrightarrow{a_1}_G u_1 \dots \xrightarrow{a_m}_G u_m \text{ with } |u_1| = |x_1|, \dots, |u_m| = |x_m|.$$

By definition of G/H , $u_0 \parallel x_0 \xrightarrow{a_1}_{G/H} u_1 \parallel x_1 \dots \xrightarrow{a_m}_{G/H} u_m \parallel x_m$ and $\iota(u_0 \parallel x_0) \in G/H$.

Case 2.1: $m = n$. As $a_1 \dots a_n \notin L(G)$, $o u_n \notin G$.

Thus $o(u_n \parallel x_n) \in G/H$ hence $a_1 \dots a_n \in L(G/H)$.

Case 2.2: $m < n$.

Thus $u_m \parallel x_m \xrightarrow{a_{m+1}}_{G/H} u'_{m+1} \# \parallel x_{m+1} \dots \xrightarrow{a_n}_{G/H} u'_n \# \parallel x_n$ for some u'_{m+1}, \dots, u'_n .

As $o x_n \in H$, we have $o(u'_n \# \parallel x_n) \in G/H$ hence $a_1 \dots a_n \in L(G/H)$.

iii) Assume that $G \xrightarrow{f}_\ell H$ and $(G/H) \xrightarrow{\pi_2}_d H$ with H unambiguous.

Let $w \in L(G/H)$. Let us check that $w \in L(H) - L(G)$.

By Lemma 1, $w \in L(H)$. Assume that $w \in L(G)$.

There is a path $u \xrightarrow{w}_G v$ with $\iota u, o v \in G$. Thus $f(u) \xrightarrow{w}_H f(v)$ with $\iota f(u), o f(v) \in H$.

As f is length-preserving, $u \parallel f(u) \xrightarrow{w}_{G \parallel H} v \parallel f(v)$ with $\iota(u \parallel f(u)), o(v \parallel f(v)) \in G \parallel H$.

Thus $u \parallel f(u) \xrightarrow{w}_{G/H} v \parallel f(v)$ with $\iota(u \parallel f(u)) \in G/H$.


Furthermore $o \pi_2(v \parallel f(v)) = o f(v) \in H$.

By Lemma 4, $o(v \parallel f(v)) \in G/H$. Thus $o v \notin G$ which is a contradiction. \blacktriangleleft


Let us apply Lemma 12 restricted to deterministic automata with Proposition 9.

► **Proposition 13.** *The language family $\text{ldRec}_{\mathcal{F}}(H) = \text{lRec}_{\mathcal{F}_{\text{det}}}(H)$ is closed under difference when H is deterministic and ε -free, and \mathcal{F} is closed under \parallel and $/$.*

In general, the condition $(G/H) \xrightarrow{\pi_2}_d H$ is necessary in Lemma 12. For instance, let us consider the following ε -free unambiguous automaton H :




Here is the length superposition $(H/H)_\ell$ where any vertex u, v represents $\perp u \parallel \perp v$.



Thus H/H is not deterministically reducible into H and $L(H/H) = L(H) = \{a, aa\}$. In order to accept $L(H) - L(G)$ by length superposition when $G \xrightarrow{\ell_d} H$, we have to restrict to vertices of the trimmed automaton $G \parallel H$ and to vertices of the copies of H . We define the *restricted length superposition* $G // H$ by

$$G // H = (G/H)_{|P} \text{ for } P = V_{(G \parallel H)_{\ell, o}} \cup \{ u \#^{|x|-|u|} \parallel x \mid |x| > |u| \wedge u \leq V_G \wedge x \in V_H \}.$$

For the previous automaton H , the automaton $(H // H)_\ell$ is the following:



We get that $L(H // H) = \emptyset = L(H) - L(G)$. Such an example can be generalized.

► **Lemma 14.** *For any ε -free automata G, H such that $G \xrightarrow{\ell_d} H$, we have*

a) H length-unambiguous $\implies (G // H) \xrightarrow{\ell_d} H$

b) H unambiguous $\implies L(G // H) \subseteq L(H) - L(G)$

c) G trimmed and H length-deterministic $\implies L(H) - L(G) \subseteq L(G//H)$.

Proof.

Let $G \xrightarrow{f} \ell_d H$ with H length-unambiguous.

i) Let $u \parallel x$ be a vertex of $G//H$ with u a vertex of G .

By definition of $G//H$, $u \parallel x$ is a vertex of $(G \parallel H)_{\iota, o}$.

Note that $H \xrightarrow{id} \ell_d H$ for the identity mapping id on V_H .

By Lemma 8 (b), we have $f(u) = id(x) = x$.

ii) Let us prove that $(G//H) \xrightarrow{\pi_2} \ell_d H$. By Lemma 12, we have $(G//H) \xrightarrow{\pi_2} \ell H$.

It remains to show that the morphism π_2 is deterministic.

Let $\iota s, \iota t \in G//H$ with $\pi_2(s) = \pi_2(t)$. We have to check that $s = t$.

Note that s, t can not be of the form $u \#^n \parallel x$ for $\varepsilon \neq u \leq V_G$ and $n > 0$.

It remains the complementary cases below.

Case 1: s, t are vertices of $(G \parallel H)_{\iota, o}$.

By (i), we have $s = u \parallel f(u)$ and $t = v \parallel f(v)$ for some $\iota u, \iota v \in G$.

Furthermore $f(u) = \pi_2(s) = \pi_2(t) = f(v)$.

As f is deterministic, we get $u = v$ hence $s = t$.

Case 2: s is a vertex of $(G \parallel H)_{\iota, o}$ and $t = (\#^{|x|}, x)$ for some vertex x of H .

By (i), we have $s = u \parallel f(u)$ for some $\iota u \in G$.

Furthermore $f(u) = \pi_2(s) = \pi_2(t) = x$. In particular $|u| = |f(u)| = |x|$.

By definition of $G//H$, $\iota t \notin H$ which is a contradiction, hence Case 2 is impossible.

Case 3: t is a vertex of $(G \parallel H)_{\iota, o}$ and $s = (\#^{|x|}, x)$ for some vertex x of H .

By symmetry of s, t and by Case 2, this case is also impossible

Case 4: $s = (\#^{|x|}, x)$ and $t = (\#^{|y|}, y)$ for some vertices x, y of H .

Thus $x = \pi_2(s) = \pi_2(t) = y$ hence $s = t$.

Let $r \xrightarrow{a} G//H s$ and $r \xrightarrow{a} G//H t$ with $\pi_2(s) = \pi_2(t)$. We have to check that $s = t$.

We have the complementary cases below knowing that the remaining cases are not possible.

Case 1: s, t are vertices of $(G \parallel H)_{\iota, o}$.

By (i), we have $r = u \parallel f(u), s = v \parallel f(v), t = w \parallel f(w)$ for $u \xrightarrow{a} G v$ and $u \xrightarrow{a} G w$.

Furthermore $f(v) = \pi_2(s) = \pi_2(t) = f(w)$.

As f is deterministic, we get $v = w$ hence $s = t$.

Case 2: $s = v \# \parallel y$ and $t = w \# \parallel z$.

So $v \leq u \#^*$ and $w \leq u \#^*$ for some $u \leq V_G$.

Furthermore $y = \pi_2(s) = \pi_2(t) = z$. So $|v \#| = |y| = |z| = |w \#|$.

Thus $v = w$ hence $s = t$.

iii) Suppose that H is unambiguous. Let us prove that $L(G//H) \subseteq L(H) - L(G)$.

Let $w \in L(G//H)$. By Lemma 12 (a) and 1, $w \in L(H)$.

Assume that $w \in L(G)$. There exists $u \xrightarrow{w} G v$ with $\iota u, o v \in G$.

So $u \parallel f(u) \xrightarrow{w} G//H v \parallel f(v)$ with $\iota(u \parallel f(u)) \in G//H$.

Furthermore $o \pi_2(v \parallel f(v)) = o f(v) \in H$.

By (ii) and Lemma 4, $o(v \parallel f(v)) \in G//H$ which is a contradiction.

iv) Suppose that G is trimmed and H is length-deterministic.

Let us prove that $L(H) - L(G) \subseteq L(G//H)$.

Let $a_1 \dots a_n \in L(H) - L(G)$ for some $n \geq 0$ and $a_1, \dots, a_n \in T$.

Let us show that $a_1 \dots a_n \in L(G//H)$.

There exists $x_0 \xrightarrow{a_1} H x_1 \dots \xrightarrow{a_n} H x_n$ with $\iota x_0, o x_n \in H$.

Let $z_i = (\#^{|x_i|}, x_i)$ for any $0 \leq i \leq n$.

By definition of $G//H$, $z_0 \xrightarrow{a_1}_{G//H} z_1 \dots \xrightarrow{a_n}_{G//H} z_n$ with $o z_n \in G//H$.

We distinguish the two complementary cases below.

Case 1: $\neg \exists u_0 (\iota u_0 \in G \wedge |u_0| = |x_0|)$. So $\iota z_0 \in G//H$ hence $a_1 \dots a_n \in L(G//H)$.

Case 2: $\exists u_0 (\iota u_0 \in G \wedge |u_0| = |x_0|)$. Let $0 \leq m \leq n$ maximal such that

$$u_0 \xrightarrow{a_1}_{G//H} u_1 \dots \xrightarrow{a_m}_{G//H} u_m \text{ with } |u_1| = |x_1|, \dots, |u_m| = |x_m|.$$

Thus $u_0 \| x_0 \xrightarrow{a_1}_{G//H} u_1 \| x_1 \dots \xrightarrow{a_m}_{G//H} u_m \| x_m$ and $\iota(u_0 \| x_0) \in G//H$.

As H is length-deterministic and by Lemma 8 (a), $f(u_i) = id(x_i) = x_i$ for any $0 \leq i \leq m$.

As G is trimmed, there exists a path $u_m \xrightarrow{*}_G u'$ with $o u' \in G$.

Thus $(u_m \| x_m) = (u_m \| f(u_m)) \xrightarrow{*}_{G//H} (u' \| f(u'))$ with $o(u' \| f(u')) \in G//H$.

It follows that $u_m \| x_m$ is a vertex of $(G//H)_{\iota, o}$ hence a vertex of $G//H$.

Case 2.1: $m = n$. As $a_1 \dots a_n \notin L(G)$, $o u_n \notin G$.

Thus $o(u_n \| x_n) \in G//H$ hence $a_1 \dots a_n \in L(G//H)$.

Case 2.2: $m < n$.

Thus $u_m \| x_m \xrightarrow{a_{m+1}}_{G//H} u'_{m+1} \# \| x_{m+1} \dots \xrightarrow{a_n}_{G//H} u'_n \# \| x_n$ for some u'_{m+1}, \dots, u'_n .

As $o x_n \in H$, we have $o(u'_n \# \| x_n) \in G//H$ hence $a_1 \dots a_n \in L(G//H)$. ◀

Let us apply Lemma 14 with Proposition 11.

► **Proposition 15.** *The language family $\text{ldRec}_{\mathcal{F}}(H)$ is closed under difference when H is unambiguous, ε -free and length-deterministic, and \mathcal{F} is closed under ι -restriction, $\|$ and $//$.*

Propositions 11 and 15 give Boolean algebras by length-preserving deterministic recognizability.

► **Theorem 16.** *The language family $\text{ldRec}_{\mathcal{F}}(H)$ is a Boolean algebra relative to $L(H)$ for any automata family \mathcal{F} closed under the operations $\|$ and $//$ and ι -restriction, and for any automaton H in \mathcal{F} which is unambiguous, ε -free and length-deterministic.*

The closure under ι -restriction is not satisfied for general automata families because the closure under accessibility and co-accessibility is required. This can then be avoided by restricting to deterministic automata through Propositions 9 and 13.

► **Theorem 17.** *The language family $\text{ldRec}_{\mathcal{F}}(H) = \text{ldRec}_{\mathcal{F}_{\text{det}}}(H)$ is a Boolean algebra relative to $L(H)$ for any automata family \mathcal{F} closed under the operations $\|$ and $/$, and for any automaton H in \mathcal{F} which is deterministic and ε -free.*

We apply these two theorems for general automata families.

7 Boolean algebras of context-free languages

A general way of accepting context-free languages is through suffix automata. We prove that this automaton family is closed under previous operations to get Boolean algebras of context-free languages by Theorem 16.

An *elementary suffix automaton* is an automaton of the form:

$$W(u \xrightarrow{a} v) = \{ wu \xrightarrow{a} wv \mid w \in W \} \text{ where } W \in \text{Reg}(N^*), u, v \in N^*, a \in T \cup \{\iota, o\}.$$

A *suffix automaton* is a finite union of elementary suffix automata. The family Stack of suffix automata defines the family $\mathcal{L}(\text{Stack})$ of context-free languages.

For instance, the previous 'fractal' automaton Fr is in Stack : Denoting (κ, κ) by κ , $(\#, \kappa)$ by $\#_{\kappa}$, and $(x, |)$ by x for any $x \in \{a, b, \#\}$, Fr is the union of the following elementary suffix automata:

$$\begin{array}{llll}
 \{a, b\}^*(\kappa \xrightarrow{a} a\kappa) & \{a, b\}^*(\kappa \xrightarrow{b} b\kappa) & \{a, b\}^*(a\kappa \xrightarrow{c} \kappa) & \{a, b\}^*(b\kappa \xrightarrow{d} \kappa) \\
 \{a, b\}^*(a\kappa \xrightarrow{d} \#\kappa) & \{a, b\}^*(b\kappa \xrightarrow{c} \#\kappa) & \{a, b\}^*(a\#\kappa \xrightarrow{c,d} \#\kappa) & \{a, b\}^*(b\#\kappa \xrightarrow{c,d} \#\kappa) \\
 \{a, b\}^*\#\kappa \xrightarrow{a,b} \#\#\kappa & \{a, b\}^*\#\#\kappa \xrightarrow{c,d} \#\#\kappa & \{\varepsilon\}(\kappa \xrightarrow{\iota} \kappa) & \{\varepsilon\}(\#\kappa \xrightarrow{\circ} \#\kappa)
 \end{array}$$

This general form of suffix automata allows to get their closure under the previous operations.

► **Lemma 18.** *The family Stack is closed under ι -restriction, \parallel , $/$ and $//$.*

Proof.

i) Stack is closed under regular restriction which is distributive over union and satisfies

$$W(u \xrightarrow{a} v)|_P = \{wu \xrightarrow{a} wv \mid w \in W \wedge wu, wv \in P\} = (W \cap Pu^{-1} \cap Pv^{-1})(u \xrightarrow{a} v)$$

where $Pu^{-1} = \{v \mid vu \in P\}$ is the *right residual* of $P \subseteq N^*$ by $u \in N^*$.

Given an automaton G in Stack and a letter \star in T , the graph $\{u \xrightarrow{\star} v \mid u \xrightarrow{\star}_G v\}$ is in Stack (Proposition 3.18 in [2]). In particular $\xrightarrow{\star}_G$ is a rational relation: it is recognized by a finite transducer. Thus, the set of vertices deriving from or to a regular vertex subset remains regular. Hence Stack is closed under ι -restriction.

ii) Stack is closed under \parallel since this operation is distributive over union, and we have

$$\begin{aligned}
 & W(u \xrightarrow{a} v) \parallel Z(x \xrightarrow{a} y) \\
 &= \{ (wu \parallel zx) \xrightarrow{a} (wv \parallel zy) \mid w \in W \wedge z \in Z \wedge (|wu| = |zx| \wedge |wv| = |zy|) \} \\
 &= \{ (wu \parallel zx) \xrightarrow{a} (wv \parallel zy) \mid w \in W \wedge z \in Z \wedge (|u| - |x| = |z| - |w| = |v| - |y|) \}.
 \end{aligned}$$

So $W(u \xrightarrow{a} v) \parallel Z(x \xrightarrow{b} y) = \emptyset$ if $a \neq b$ or $|u| - |v| \neq |x| - |y|$, and otherwise is equal to

$$\begin{aligned}
 & \bigcup_{s \in N^{|x|-|u|}} (Ws^{-1} \parallel Z) \cdot ((su \parallel x) \xrightarrow{a} (sv \parallel y)) \text{ for } |u| \leq |x| \\
 & \bigcup_{s \in N^{|u|-|x|}} (W \parallel Zs^{-1}) \cdot ((u \parallel sx) \xrightarrow{a} (v \parallel sy)) \text{ for } |u| > |x|.
 \end{aligned}$$

Furthermore for $G, G' \in \text{Stack}$, $I_{G \parallel G'} = I_G \parallel I_{G'}$ remains regular and is described by the rule $(I_G \parallel I_{G'}) \cdot (\varepsilon \xrightarrow{\iota} \varepsilon)$. It is the same for $O_{G \parallel G'} = O_G \parallel O_{G'}$.

iii) Let us show that Stack is closed under $/$. As $G/(H \cup H') = G/H \cup G/H'$, it remains to consider $G/Z(x \xrightarrow{a} y)$ for $G = \bigcup_{i=1}^n W_i(u_i \xrightarrow{a_i} v_i)$. Let us define the language

$$L = \bigcup \{ W_i \cdot u_i \mid 1 \leq i \leq n \wedge a_i = a \wedge |u_i| - |v_i| = |x| - |y| \}.$$

Let us check that

$$(V_G - L) \parallel Zx = \{ s \parallel zx \mid s \in V_G \wedge z \in Z \wedge |s| = |zx| \wedge \neg \exists t (s \xrightarrow{a}_G t \wedge |t| = |zy|) \}.$$

Let $s \in V_G$ and $z \in Z$ such that $|s| = |zx|$. We have to show that

$$s \in L \iff \exists t (s \xrightarrow{a}_G t \wedge |t| = |zy|).$$

\implies : Assume that $s \in L$.

There exists $1 \leq i \leq n$ and $w \in W_i$ such that $s = wu_i$ and $a_i = a$ and $|u_i| - |v_i| = |x| - |y|$. Hence $s \xrightarrow{a} wv_i$ with $|wv_i| = |w| + |u_i| + |y| - |x| = |s| + |y| - |x| = |zy|$.

\impliedby : Suppose there exists t such that $s \xrightarrow{a}_G t$ and $|t| = |zy|$.

Hence there exists $1 \leq i \leq n$ and $w \in W_i$ such that $a_i = a$, $s = wu_i$ and $t = wv_i$.

As $|zx| = |s|$ and $|zy| = |wv_i|$, we get $|wv_i| - |y| = |z| = |s| - |x|$.

Thus $|wv_i x| = |sy| = |wu_i y|$ i.e. $|u_i y| = |v_i x|$. So $s = wu_i \in L$.

Thus the following subgraph of G/H :

$$\{ u \parallel x \xrightarrow{a} v \parallel y \mid x \xrightarrow{a}_H y \wedge u \in V_G \wedge \neg \exists w (u \xrightarrow{a}_G w \wedge |w| = |y|) \wedge v \leq u \#\# \}$$

corresponding to the ‘stall’ of G w.r.t. H , is equal to the following suffix automaton:

$$(V_G - L) \cdot (\varepsilon \xrightarrow{a} \#\#^{|y|-|x|}) \parallel Z \cdot (x \xrightarrow{a} y) \text{ for } |x| < |y|$$

otherwise $|x| \geq |y|$ and by union on $1 \leq i \leq n$ with $W = W_i$ and $u \in \{u_i, v_i\}$,

if $|u| > |x| - |y|$ we take the suffix automaton:

$$(W - Lu^{-1}).(u \xrightarrow{a} v\#) \parallel Z.(x \xrightarrow{a} y) \text{ for } v < u \text{ and } |u| - |v\#| = |x| - |y|$$

and if $|u| \leq |x| - |y|$, having $|u| = |x|$ we get $y = \varepsilon$ and we take the suffix automaton:

$$(W - Lu^{-1})s^{-1}.(su \xrightarrow{a} \#) \parallel Z.(x \xrightarrow{a} \varepsilon) \text{ for any suffix letter } s \text{ of } W.$$

Similarly denoting by P_G the set of prefixes of V_G , the following subgraph of G/H :

$$\{ u\#^n \parallel x \xrightarrow{a} v\# \parallel y \mid x \xrightarrow{a} y \wedge n > 0 \wedge u \leq V_G \wedge v \leq u\#^* \}$$

is equal to the following suffix automaton:

$$P_G\#^+.(\varepsilon \xrightarrow{a} \#^{|y|-|x|}) \parallel Z.(x \xrightarrow{a} y) \text{ for } |x| \leq |y|$$

otherwise $|x| > |y|$ and the automaton is equal to the unions of the following automata:

$$(P_G\#^+)u^{-1}.(u \xrightarrow{a} \#) \parallel Z.(x \xrightarrow{a} y) \text{ for } u \in N_G^*\#^+ \text{ and } |u| = |x| - |y| + 1.$$

Finally, the other subgraphs of G/H are described as before.

With (i), it follows that \mathcal{Stack} is also closed under $//$. ◀

Let us apply Theorem 16 with Lemma 18.

► **Proposition 19.** *The family $\ell d\text{Rec}_{\text{Stack}}(H)$ is a Boolean algebra relative to $L(H)$ for any unambiguous, ε -free and length-deterministic automaton H .*

In particular, we obtain again that $\ell d\text{Rec}_{\text{Stack}_{\text{det}}}(H)$ for H deterministic, is a relative Boolean algebra [7].

A well-known relative Boolean algebra is the family $\ell d\text{Rec}_{\text{Stack}}(\text{Inp}(T_{-1}, T_0, T_1))$ of input-driven languages according to the triple (T_{-1}, T_0, T_1) of finite disjoint subsets of T [6].

Adding the loops labeled in T_{-1} on the initial vertex κ of $\text{Inp}(T_{-1}, T_0, T_1)$, we get the *visibly automaton* $\text{Vis}(T_{-1}, T_0, T_1) = \text{Inp}(T_{-1}, T_0, T_1) \cup \{ \kappa \xrightarrow{a} \kappa \mid a \in T_{-1} \}$ accepting $L(\text{Vis}(T_{-1}, T_0, T_1)) = (T_{-1} \cup T_0 \cup T_1)^*$, and $\ell d\text{Rec}_{\text{Stack}}(\text{Vis}(T_{-1}, T_0, T_1))$ is the Boolean algebra of visibly pushdown languages according to (T_{-1}, T_0, T_1) [1].

Note that we can enhance the visibility of pushdown automata by taking a mapping $\parallel \parallel$ from a finite subset $T_{\parallel \parallel} \subset T$ to \mathbb{Z} , by taking $|\kappa \in N$, and by defining the automaton

$$\text{Vis}_{\parallel \parallel} = \{ |^n \kappa \xrightarrow{a} |^{\max(0, n + \|a\|)} \mid n \geq 0 \wedge a \in T_{\parallel \parallel} \} \cup \{ \iota \kappa \} \cup \{ o |^n \kappa \mid n \geq 0 \}$$

In particular $\text{Vis}(T_{-1}, T_0, T_1) = \text{Vis}_{\parallel \parallel}$ for $T_{\parallel \parallel} = T_{-1} \cup T_0 \cup T_1$ with $\|a\| = i$ for any $a \in T_i$ and $i \in \{-1, 0, 1\}$. For any $\parallel \parallel$, $L(\text{Vis}_{\parallel \parallel}) = T_{\parallel \parallel}^*$ and $\ell d\text{Rec}_{\text{Stack}}(\text{Vis}_{\parallel \parallel}) = \ell \text{Rec}_{\text{Stack}_{\text{det}}}(\text{Vis}_{\parallel \parallel})$ is a Boolean algebra.

We further increase the pushdown visibility by taking $|\dagger, \kappa \in N$ and the recognizer

$$2\text{Vis}_{\parallel \parallel} = \{ |^n \kappa \xrightarrow{a} |^{n + \|a\|} \mid n \in \mathbb{Z} \wedge a \in T_{\parallel \parallel} \} \cup \{ \iota \kappa \} \cup \{ o |^n \kappa \mid n \in \mathbb{Z} \}$$

where $|^{-n} = \dagger^n$ for any $n > 0$. Thus $\ell d\text{Rec}_{\text{Stack}}(\text{Vis}_{\parallel \parallel})$ is still a Boolean algebra.

Note that Proposition 19 also applies to non-deterministic recognizers like the previous unambiguous automaton Un which is also ε -free and length-deterministic.

Proposition 19 may also be restricted to the family of counter automata.

8 Boolean algebras of context-sensitive languages

A simple way to define context-sensitive languages is through the synchronized relations of bounded length difference.

An *elementary bounded synchronized automaton* is an automaton of the form:

$$R(u \xrightarrow{a} v) = \{ xu \xrightarrow{a} yv \mid (x, y) \in R \} \text{ for } R \in \text{Reg}((N \times N)^*), u, v \in N^*, a \in T \cup \{\iota, o\}.$$

A *bounded synchronized automaton* is a finite union of elementary bounded synchronized automata. The family Sync of bounded synchronized automata accepts the family $\mathcal{L}(\text{Sync})$

of context-sensitive languages [8].

Similarly to the proof of Lemma 18, we get that Sync is closed under \parallel and $/$. However, Sync is not closed under ι -restriction, nor closed under \parallel because the set of vertices accessible from a given vertex for a bounded synchronized automaton is not necessarily regular (and also not effective). Nevertheless and by restricting to deterministic recognizers, we can apply Theorem 17.

► **Proposition 20.** *The family $\ell\text{dRec}_{\text{Sync}}(H) = \ell\text{Rec}_{\text{Sync}_{\text{det}}}(H)$ is a Boolean algebra relative to $L(H)$ for any deterministic and ε -free automaton H .*

Thus $\ell\text{dRec}_{\text{Sync}}(\text{Inp}(T_{-1}, T_0, T_1))$ defines the Boolean algebra relative to $L(\text{Inp}(T_{-1}, T_0, T_1))$ of *bounded synchronized input-driven languages* w.r.t. to (T_{-1}, T_0, T_1) . Likewise we have the Boolean algebra $\ell\text{dRec}_{\text{Sync}}(\text{Vis}_{\parallel\parallel})$ of *bounded synchronized visibly languages* w.r.t. $\parallel\parallel$. Theorem 17 can be applied to many other automata families, as for example the family of vector addition systems (or Petri nets) with regular contexts.

In conclusion, the deterministic length recognizability allows to obtain Boolean algebras using automata families and recognizers. We have applied it to suffix automata and bounded synchronized automata but one can use it on any automata family closed under length synchronization, length superposition and trimmed restriction.

References

- 1 R. Alur and P. Madhusudan, *Visibly pushdown languages*, 36th STOC, ACM Proceedings, L. Babai (Ed.), 202–211 (2004).
- 2 D. Caucal, *On infinite transition graphs having a decidable monadic theory*, 23rd ICALP, LNCS 1099, F. Meyer auf der Heide, B. Monien (Eds.), 194–205 (1996).
- 3 D. Caucal *Boolean algebras of unambiguous context-free languages*, 28th FSTTCS, Dagstuhl Research Server, R. Hariharan, M. Mukund, V. Vinay (Eds.) (2008).
- 4 D. Caucal and C. Rispal, *Recognizability for automata*, 22nd DLT, to appear in LNCS, M. Hoshi, S. Seki (Eds.) (2018).
- 5 S. Eilenberg, *Algèbre catégorique et théorie des automates*, Institut H. Poincaré (1967), and *Automata, languages and machines*, Vol. A, Academic Press, New-York (1974).
- 6 K. Mehlhorn, *Pebbling mountain ranges and its application to DCFL recognition*, 7th ICALP, LNCS 85, J. de Bakker, J. van Leeuwen (Eds.), 422–432 (1980).
- 7 D. Nowotka and J. Srba, *Height-deterministic pushdown automata*, 32nd MFCS, LNCS 4708, L. Kucera, A. Kucera (Eds.), 125–134 (2007).
- 8 C. Rispal, *The synchronized graphs trace the context-sensitive languages*. Electr. Notes Theor. Comput. Sci. 68(6), 55–70 (2002).
- 9 W. Thomas, *Uniform and nonuniform recognizability*, Theoretical Computer Science 292, 299–316 (2003).